





Armadi per collettori per PARETI IN CARTONGESSO

Manifold cabinets for PLASTERBOARD WALLS



Heating &
Cooling Components



Armadi per cartongesso SERENA *Manifold cabinets for plasterboard SERENA*

Armadio universale in acciaio zincato progettato per pareti in cartongesso per alloggiare qualsiasi tipologia di collettore esistente in commercio mediante la soluzione di due guide su binario associate a viti a scorrimento controllato.

Include:

- Base incasso, n. 2 kit guide regolabili; n.4 staffe fissaggio montanti L100mm
- Pannello in cartongesso dallo spessore di 12,5mm fissato sulla porta;
- Porta e cornice regolabile in profondità mediante elementi scorrevoli (regolazione consentita: da 0 a 50 mm);
- Imballo in robusta scatola di cartone

Caratteristiche :

- in lamiera di acciaio zincato;
- porta e cornice in acciaio zincato;
- porta a chiusura push-pull;
- frontalino inferiore;
- Optional : n. 2 piedini regolabili (regolazione consentita: da 0 a 100 mm);
- Optional : paramalta;


Universal galvanized steel cabinet designed for installation in plasterboard wall, capable of accommodating any type of commercially available manifold thanks to a system of two rails combined with controlled-slide screws.

Includes:



- Recessed base, 2 adjustable guide kits, 4 uprightmounting brackets (100 mm);
- 12.5 mm thick plasterboard panel attached to the door;
- Door and frame with adjustable depth via sliding elements (adjustment range: 0 to 50 mm);
- Packaging in a sturdy cardboard box.

Features:


- made of galvanized sheet steel;
- galvanized steel door and frame;
- push-pull door closure;
- bottom front panel;
- Optional: 2 adjustable feet (adjustment range: 0 to 100 mm);
- Optional: mortar guard;




Heating &
Cooling Components



**caratteristiche
characteristics**

**profondità
depth 80 mm**


LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG0400AAZCA
500				CG0500AAZCA
600				CG0600AAZCA
700				CG0700AAZCA
850				CG0850AAZCA
1000				CG1000AAZCA
1200				CG1200AAZCA
1300				CG1300AAZCA

**profondità
depth 90 mm**


400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG0400ABZCA
500				CG0500ABZCA
600				CG0600ABZCA
700				CG0700ABZCA
850				CG0850ABZCA
1000				CG1000ABZCA
1200				CG1200ABZCA
1300				CG1300ABZCA


**altezza
height 630 mm**

**dati logistici
logistic data**

					
80 mm modello/model					
400	400 x 630	6 kg	28 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
500	500 x 630	6 kg	28 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
600	600 x 630	8 kg	20 pz. /pcs. pallet	80 x 120 x 220	180 kg x pallet
700	700 x 630	9 kg	20 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
850	850 x 630	10 kg	18 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
1000	1000 x 630	12 kg	14 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
1200	1200 x 630	15 kg	14 pz. /pcs. pallet	80 x 120 x 220	230 kg x pallet
1300	1300 x 630	16 kg	14 pz. /pcs. pallet	80 x 140 x 220	244 kg x pallet
90 mm modello/model					
400	400 x 630	6 kg	28 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
500	500 x 630	6 kg	28 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
600	600 x 630	8 kg	20 pz. /pcs. pallet	80 x 120 x 220	180 kg x pallet
700	700 x 630	9 kg	20 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
850	850 x 630	10 kg	18 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
1000	1000 x 630	12 kg	14 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
1200	1200 x 630	15 kg	14 pz. /pcs. pallet	80 x 120 x 220	230 kg x pallet
1300	1300 x 630	16 kg	14 pz. /pcs. pallet	80 x 140 x 220	244 kg x pallet


(1) Guide e minuterie non verniciate/Guides and small parts not painted

caratteristiche characteristics


profondità
depth **110 mm**




LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG0400ACZCA
500				CG0500ACZCA
600				CG0600ACZCA
700				CG0700ACZCA
850				CG0850ACZCA
1000				CG1000ACZCA
1200				CG1200ACZCA
1300				CG1300ACZCA



profondità
depth **150 mm**



LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG0400ADZCA
500				CG0500ADZCA
600				CG0600ADZCA
700				CG0700ADZCA
850				CG0850ADZCA
1000				CG1000ADZCA
1200				CG1200ADZCA
1300				CG1300ADZCA



altezza
height **630 mm**




dati logistici logistic data

110 mm modello/model					
400	400 x 630	6 kg	28 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
500	500 x 630	6 kg	28 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
600	600 x 630	8 kg	20 pz. /pcs. pallet	80 x 120 x 220	180 kg x pallet
700	700 x 630	9 kg	20 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
850	850 x 630	10 kg	18 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
1000	1000 x 630	12 kg	14 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
1200	1200 x 630	15 kg	14 pz. /pcs. pallet	80 x 120 x 220	230 kg x pallet
1300	1300 x 630	16 kg	14 pz. /pcs. pallet	80 x 140 x 220	244 kg x pallet
150 mm modello/model					
400	400 x 630	6 kg	22 pz. /pcs. pallet	80 x 120 x 220	152 kg x pallet
500	500 x 630	7 kg	22 pz. /pcs. pallet	80 x 120 x 220	174 kg x pallet
600	600 x 630	9 kg	15 pz. /pcs. pallet	80 x 120 x 220	155 kg x pallet
700	700 x 630	10 kg	15 pz. /pcs. pallet	80 x 120 x 220	170 kg x pallet
850	850 x 630	11 kg	13 pz. /pcs. pallet	80 x 120 x 220	163 kg x pallet
1000	1000 x 630	13 kg	11 pz. /pcs. pallet	80 x 120 x 220	163 kg x pallet
1200	1200 x 630	16 kg	11 pz. /pcs. pallet	80 x 120 x 220	196 kg x pallet
1300	1300 x 630	17 kg	11 pz. /pcs. pallet	80 x 140 x 220	207 kg x pallet


(1) Guide e minuterie non verniciate/Guides and small parts not painted



**caratteristiche
characteristics**

LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG04075ACA
500				CG05075ACA
600				CG06075ACA
700				CG07075ACA
850				CG08075ACA
1000				CG10075ACA
1200				CG12075ACA
1300				CG13075ACA




profondità depth	400	500	600	700	850	1000	1200	1300	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG04075BCA	CG05075BCA	CG06075BCA	CG07075BCA	CG08075BCA	CG10075BCA	CG12075BCA	CG13075BCA
90 mm																			

altezza
height **750 mm**

**dati logistici
logistic data**



					
80 mm modello/model					
400	400 x 750	7 kg	24 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
500	500 x 750	8 kg	24 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
600	600 x 750	9 kg	18 pz. /pcs. pallet	80 x 120 x 220	182 kg x pallet
700	700 x 750	11 kg	18 pz. /pcs. pallet	80 x 120 x 220	218 kg x pallet
850	850 x 750	12 kg	16 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
1000	1000 x 750	14 kg	12 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
1200	1200 x 750	17 kg	12 pz. /pcs. pallet	80 x 120 x 220	224 kg x pallet
1300	1300 x 750	18 kg	12 pz. /pcs. pallet	80 x 140 x 220	236 kg x pallet
90 mm modello/model					
400	400 x 750	7 kg	24 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
500	500 x 750	8 kg	24 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
600	600 x 750	9 kg	18 pz. /pcs. pallet	80 x 120 x 220	182 kg x pallet
700	700 x 750	11 kg	18 pz. /pcs. pallet	80 x 120 x 220	218 kg x pallet
850	850 x 750	12 kg	16 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
1000	1000 x 750	14 kg	12 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
1200	1200 x 750	17 kg	12 pz. /pcs. pallet	80 x 120 x 220	224 kg x pallet
1300	1300 x 750	18 kg	12 pz. /pcs. pallet	80 x 140 x 220	236 kg x pallet

(1) Guide e minuterie non verniciate/Guides and small parts not painted


caratteristiche characteristics



LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG04075CCA
500				CG05075CCA
600				CG06075CCA
700				CG07075CCA
850				CG08075CCA
1000				CG10075CCA
1200				CG12075CCA
1300				CG13075CCA



LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
400	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG04075DCA
500				CG05075DCA
600				CG06075DCA
700				CG07075DCA
850				CG08075DCA
1000				CG10075DCA
1200				CG12075DCA
1300				CG13075DCA




altezza
height **750 mm**


dati logistici logistic data

110 mm modello/model					
400	400 x 750	7 kg	24 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
500	500 x 750	8 kg	24 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
600	600 x 750	9 kg	18 pz. /pcs. pallet	80 x 120 x 220	182 kg x pallet
700	700 x 750	11 kg	18 pz. /pcs. pallet	80 x 120 x 220	218 kg x pallet
850	850 x 750	12 kg	16 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
1000	1000 x 750	14 kg	12 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
1200	1200 x 750	17 kg	12 pz. /pcs. pallet	80 x 120 x 220	224 kg x pallet
1300	1300 x 750	18 kg	12 pz. /pcs. pallet	80 x 140 x 220	236 kg x pallet
150 mm modello/model					
400	400 x 750	8 kg	20 pz. /pcs. pallet	80 x 120 x 220	180 kg x pallet
500	500 x 750	9 kg	20 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
600	600 x 750	10 kg	16 pz. /pcs. pallet	80 x 120 x 220	180 kg x pallet
700	700 x 750	12 kg	16 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
850	850 x 750	13 kg	12 pz. /pcs. pallet	80 x 120 x 220	176 kg x pallet
1000	1000 x 750	15 kg	10 pz. /pcs. pallet	80 x 120 x 220	170 kg x pallet
1200	1200 x 750	18 kg	10 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
1300	1300 x 750	19 kg	10 pz. /pcs. pallet	80 x 140 x 220	210 kg x pallet


(1) Guide e minuterie non verniciate/Guides and small parts not painted



**caratteristiche
characteristics**
**profondità
depth** **110 mm**


LARGHEZZA WIDTH	cornice e porta frame and door	chiusura closure	base incasso built-in base	codice code
500	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG0500BCZCA
600				CG0600BCZCA
700				CG0700BCZCA
850				CG0850BCZCA
1000				CG1000BCZCA
1200				CG1200BCZCA
1300				CG1300BCZCA

**profondità
depth** **150 mm**




500	filomuro cartongesso close to the wall plasterboard	push pull	zincata galvanised	CG0500BDZCA
600				CG0600BDZCA
700				CG0700BDZCA
850				CG0850BDZCA
1000				CG1000BDZCA
1200				CG1200BDZCA
1300				CG1300BDZCA


**altezza
height** **930 mm**
**dati logistici
logistic data**

					
110 mm modello/model					
500	500 x 930	9 kg	20 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
600	600 x 930	12 kg	16 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
700	700 x 930	13 kg	16 pz. /pcs. pallet	80 x 120 x 220	228 kg x pallet
850	850 x 930	15 kg	10 pz. /pcs. pallet	80 x 120 x 220	170 kg x pallet
1000	1000 x 930	18 kg	10 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
1200	1200 x 930	22 kg	10 pz. /pcs. pallet	80 x 120 x 220	240 kg x pallet
1300	1300 x 930	24 kg	10 pz. /pcs. pallet	80 x 140 x 220	260 kg x pallet
150 mm modello/model					
500	500 x 930	11 kg	16 pz. /pcs. pallet	80 x 120 x 220	196 kg x pallet
600	600 x 930	14 kg	12 pz. /pcs. pallet	80 x 120 x 220	188 kg x pallet
700	700 x 930	15 kg	12 pz. /pcs. pallet	80 x 120 x 220	200 kg x pallet
850	850 x 930	17 kg	8 pz. /pcs. pallet	100 x 120 x 220	156 kg x pallet
1000	1000 x 930	20 kg	8 pz. /pcs. pallet	80 x 120 x 220	180 kg x pallet
1200	1200 x 930	24 kg	8 pz. /pcs. pallet	80 x 120 x 220	212 kg x pallet
1300	1300 x 930	26 kg	8 pz. /pcs. pallet	80 x 140 x 220	228 kg x pallet

(1) Guide e minuterie non verniciate/Guides and small parts not painted

Schema di Montaggio / Assembly Diagram





condizioni generali di fornitura general conditions of supply

CONSEGNE

15 gg. dal ricevimento dell'ordine.
I termini di consegna riportati nella conferma d'ordine sono da considerarsi indicativi e non impegnativi. Consegne ritardate per motivi estranei alla nostra volontà non daranno diritto ad alcun genere di indennizzo.

IMBALLO

nostro standard gratis.

PALLET

da rendere alla VMEC.
Nel caso in cui non vengano resi entro 3 mesi dalla consegna, verranno addebitati in fattura al costo.

TRASPORTO

Franco Partenza:
Per ordini particolari viene data la possibilità di ricevere la merce. Franco Destino: La merce viaggia a rischio e pericolo del committente, anche per le consegne Franco Destino.

PAGAMENTI

Primo ordine:
anticipato oppure contanti consegna.
Ordini successivi:
da concordare con il ns ufficio commerciale.

RESI

Eventuali restituzioni di materiale dovranno essere autorizzate dalla VMEC.
Le spese relative alla restituzione del materiale rimarranno a carico dell'azienda che effettua il reso.

FORO COMPETENTE

Tribunale di Verona.

DELIVERIES

15 days from receipt of order. The delivery times indicated on the order confirmation are to be considered indicative and not binding. Deliveries that are delayed for reasons beyond our control shall not provide grounds for claims of any kind.

PACKING

our standard packing, free of charge.

PALLETS

to be returned to VMEC.
If the pallets are not returned within 3 months of delivery, they will be invoiced to you at cost price.

TRANSPORT

Ex works:
For particular orders there is the possibility of receiving goods Carriage Paid.
The goods travel at the buyer's own risk, even when supplied Carriage Paid.

PAYMENTS

First order:
in advance or cash on delivery.
Subsequent orders:
to be agreed with our commercial office.

RETURNS


Any returns of material must be authorised by VMEC. The costs for the return of the material will be at the expense of the company that makes the return.

COMPETENT COURT

Court of Verona.

È vietata ogni riproduzione, anche parziale, del presente catalogo. Eventuali variazioni o modifiche al presente catalogo ed a tutti gli articoli in esso contenuti potranno essere effettuati senza alcun obbligo di preavviso.

All reproduction of this catalogue, even in part, is forbidden. Any variations or modifications of this catalogue and of the articles that it contains may be made without prior notice.



VMEC



The Power of Partnership

VMEC ENERGY S.R.L.

Sede Operativa 1/Production office 1: Via Dell'Agricoltura, 12 - 37051 Bovolone - VR - Italy
tel. +39 045 6680070 - fax +39 045 6680267

info@vmec.it - www.vmec.it

Heating &
Cooling Components